



EXPERTS IN TRAINING TECHNOLOGY

METHODS

token.....	2
ping.....	3
getCourses.....	4
getCourseGroups.....	5
getCoursesGroups.....	6
getLists.....	7
getList.....	8
checkEnrollment.....	9
checkEnrollmentOnList.....	10
getEnrollment.....	12
getEnrollments.....	15
newEnrollment.....	18
newEnrollmentOnList.....	21
extendEnrollmentTime.....	24
updateEnrollment.....	25
changePassword.....	28
verifyEmail.....	29
loginEnroll.....	30
getUrlAutologin.....	31
getCompaniesClient.....	33
newGroup.....	34
updateGroup.....	38
updateFB.....	43
getSurveysByGroup.....	46
newCompany.....	48
grades.....	49
getCourseIndices.....	51

INTRODUCTION

This document explains the use of the **evolCampus** API, defining the different methods and parameters of requests and answers.

If you have any query or questions about it, please contact us at email support@evolmind.com

every API calls are made to the URL:
<https://api.evolcampus.com/api>

METHODS

token

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/token>

Description: Request of the token for the use of the API, using the methodology of Json Web Token (JWT).more information about JWT here:<https://jwt.io/introduction/>

The generated token should be passed to the headboards of the next petitions that are made on the API,with the exception of **/ping**

The variable name of the headboard will be **Authorization** and as value **Bearer <token>** (replacing <token> for the value returned by this API)

Parameters:

Name	Description	Type	Required
clientid	Customer identifier	int	YES
key	unique customer key	string	YES

Answer:

[

```
1      token : "CHAIN_WITH_THE_TOKEN_GENERATED"
```

ping

Type: GET

Complete route: <https://api.evolcampus.com/api/v1/ping>

Description: Check if the API service is online

Answer: OK

getCourses

Type: GET

Complete route: <https://api.evolcampus.com/api/v1/getCourses>

Description: Return the courses organized by **status** and by **name**. Include in the answer the course subjects.

*The courses have two statuses: active (**ACTIVE**), a course in which a student can be enrolled, and inactive (**INACTIVE**), which cannot be enrolled.*

Answer:

```
[
  {
    courses : [
      {
        id : 0,
        name : "NAME OF THE COURSE",
        ngroups : 0,
        status : "ACTIVE|INACTIVE",
        tags: [tag1,tag2,...],
        subjects : [
          {
            subjectid : 0,
            subject : "NAME OF THE SUBJECT"
          },
          ...
        ]
      },
      ...
    ]
  },
  ...
]
```

getCourseGroups

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/getCourseGroups>

Description: Return the groups of a course, organized ascending by the number of students.

Parameters:

Name	Description	Type	Required
idCourse	course identifier. It is obtained from method id field /getCourses	int	YES
status	group/s status	string	YES

Answer:

```
[
  groups : [
    {
      id : 0,
      name : "NAME OF THE GROUP",
      status : "ACTIVE|INACTIVE",
      numstudents : 0,
      type : "ASYNCRONOUS|SYNCRONOUS",
      startdate : 'Y-m-d',
      enddate : 'Y-m-d',
      duration : 120 (days)
    },
    ...
  ]
]
```

getCoursesGroups

Type: GET

Complete route: <https://api.evolcampus.com/api/v1/getCoursesGroups>

Description: Return the active courses and the groups of each course, organized ascending by the course's name.

Parameters: none

Answer:

```
courses : [ {
  id: 0,
  name: "NAME OF THE COURSE"
  status : "ACTIVE|INACTIVE",
  ngroups : "NUMBER OF ACTIVE GROUPS",
  tags: [tag1,tag2,...],
  subjects : [
    {
      subjectid : 0,
      subject : "SUBJECT'S NAME"
    },
    ...
  ]
  groups : [
    {
      groupid: 0,
      group: "NAME OF THE GROUP",
      type: "ASYNCRONOUS|SYNCRONOUS",
      subsidizedids: [
        {
          subsidizedid: 0,
          subsidizedcode: "CODE"
        }
      ]
    },
    ...
  ],
  ...
]
]
```

getLists

Type: GET

Complete route: <https://api.evolcampus.com/api/v1/getLists>

Description: Returns the lists of courses, either self-enrollment or joint enrollment

Parameters:

Name	Description	Type	Required
status	list status	string	YES

Answer:

```
[
  {
    lists : [
      {
        id : 0,
        name : "html courses",
        status : "ACTIVE|INACTIVE",
        ngroups : 0,
        type : "SELF_ENROLLMENT|JOINT_ENROLLMENT"
      },
      ...
    ]
  }
]
```

getList

Type: GET

Complete route: <https://api.evolcampus.com/api/v1/getList>

Description: Return the chosen list

Parameters:

Name	Description	Type	Required
id	list identifier	int	YES

Answer:

```
{
  id : 0,
  name : "html courses",
  status : "ACTIVE|INACTIVE",
  type : "SELF_ENROLLMENT|JOINT_ENROLLMENT"
  groups: [
    {
      id : 0,
      name : "group 1 html",
      courseid : 0,
      course_name : "HTML"
    }
  ]
}
```

checkEnrollment

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/checkEnrollment>

Description: check if a student is enrolled by checking the email or user (key field)

Parameters:

Name	Description	Type	Required
email*	email you want to check	string	YES
username*	user you want to check	string	YES
groupid	Group identifier. It is obtained from method id field /getCourseGroups	int	YES

**email, username: at least one of them its required*

Answer:

```
{  
  result: NUM,  
  message : "explanatory text of the result",  
  enrollmentstatus : STATUS,  
  enrollmentid: 0,  
  userid: 0  
}
```

NUM Values: 0 => not enrolled, 1 => enrolled in group, 2 => Enrolled in another group of the same course

STATUS Values: 0 => studying, 1=> archived, 2=> cancelled, 3=> read only

checkEnrollmentOnList

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/checkEnrollmentOnList>

Description: check if a student is enrolled by checking the email or user (key field)

Parameters:

Name	Description	Type	Required
email*	email you want to check	string	YES
username*	user you want to check	string	YES
listid	Group identifier. It is obtained from method id field /getLists	int	YES

**email, username: at least one of them its required*

Answer:

```
{
  result: NUM,
  message : "explanatory text of the result",
  userid: 0
}
```

NUM Values: 0 => not enrolled, 1 => enrolled in list

getEnrollment

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/getEnrollment>

Description: get the data of the enrollment

Parameters:

Name	Description	Type	Required
enrollmentid	Enrollment identifier. It is obtained from the method /newEnrollment	int	YES

Answer:

```
{
  person: {
    userid : 0,
    enrollmentid : 0,
    name : "",
    lastname : "",
    email : "",
    username: "",
    phone : "",
    identification : "",
    position : ""
    photo: 'User photo url',
    tags: 'separated by commas',
    anonymous:0|1
  },
  enroll: {
    study: 'name of the course'
    groupid : 0,
    fundae : 0|1,
    company : "",
    companyname: 'company's name',
    begin: 'course start date',
    end: 'course end date',
    completedpercent: 0,
    evaluationscompletedpercent:0,
    lastconnect: 'date and time of the last conection',
    timeconnected: 0 (time in seconds),
```

```
connections: 0 (number of connections),
enrollmentstatus: 0|1|2|3, (^v1),
passrequierements: 0|1,
datepassrequierements: 'pass requirements date',
grade: 0.0,
urldiploma:",
subjects : [
  {
    subjectid : 0,
    status : 'ACTIVE|INACTIVE'
  },
  ...,
],
surveys: [
  {
    total: 0,
    completed: 0
  },
  ...
],
],
}
```


getEnrollments

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/getEnrollments>

Description: get enrollment list

Parameters:

Name	Description	Type	Required
page	page number. By default: 1	int	no
regs_per_page	record number per page (maximum 1000). Default: 100	int	no
studyid	course id	int	no
groupid	group id	int	no
email	learner email	string	no
username	learner user	string	no
search	search text for first name, last name and email of the enrollment	string	no
active	filter by active enrollments or not	boolean	no
document	Identification document (NIF, CFI, CUS...)	string	no
companyid	company id	int	no

Answer:

```
{
  page: 1,
  pages: 25,
  regs_per_page: 100,
  data: [
    person: {
      userid : 0,
      enrollmentid : 0,
      name : "",
      lastname : "",
      email : "",
      username: "",
      phone : "",
```

```

        identification : "",
        position : ""
        photo: 'User photo url',
        tags: 'separated by commas',
        anonymous:0|1
    },
    enroll: {
        study: 'course name'
        groupid : 0,
        group: 'group name'
        fundae : 0|1,
        company : 0,
        companyname: 'company's name',
        begin: 'course start date',
        end: 'course end date',
        completedpercent: 0,
        evaluationscompletedpercent:0,
        lastconnect: 'date and time of the last conection,
        timeconnected: 0 (time in seconds),
        connections: 0 (number of connections),
        enrollmentstatus: 0|1|2|3, (*v1),
        passrequierements: 0|1,
        datepassrequierements: 'pass requirements date',
        grade: 0.0,
        urldiploma:",
        surveys: [
            {
                total: 0,
                completed: 0
            }
        ]
    },
    ....
}

*v1: possible values
0: Active
1: Archived
2: Cancellation
3: Read only

```


newEnrollment

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/newEnrollment>

Description: Create an enrollment in the system.

The field **enroll[startdate]** is also optional. is used to program the student's enrollment date.

In synchronous groups, learners take the course on the same dates

In asynchronous groups, each learner studies on independent dates, establishing a duration in days or months for the course. When the student is enrolled, the enrollment date is taken as the starting date, and the end date is calculated by adding the duration of the course to the initial date.

Parameters:

Name	Description	Type	Required
enroll[groupid]	group identifier	int	NO
enroll[fundae]	id of FUNDAE group	int	NO
enroll[startdate]	start date Y-m-d	date	NO
enroll[welcomeemail]	0 1 if you wish the welcome email to be sent from evolcampus	int	NO
enroll[external_id]*	External identifier	string	NO
person[password]	learner's password	string	NO
person[email]*	learner's email	string	YES
person[username]*	learner's user	string	YES
person[name]	learner's name	string	YES

person[lastname]	learner's last names	string	YES
person[phone]	learner's phone number	string	NO
person[identification]	ID card number	string	NO
person[companyid]*	Company to which the learner is assigned to	int	NO
person[tags]	Comma-separated list of student's labels	string	NO

**email, username: at least one of them is required*

**companyid:*

- *requires enroll[groupid]*
- *you can know all the available companies with the function **getCompaniesClient***

**external_id: can be used to store the ID we have in our CRM or the location from which we are making the call.*

Answer:

```
{  
  result : 1,  
  message : "OK",  
  userid : 432,  
  learnerid: 334,  
  enrollmentid : 874  
}
```


newEnrollmentOnList

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/newEnrollmentOnList>

Description: Create a new enrollment in the system.

In the field, **enroll[startdate]** is also optional: it's used to program the date of the learner's enrollment

In synchronous groups, learners take the course between the same dates.

In asynchronous groups, each learner studies on independent dates, establishing a duration in days or months for the course. When the student is enrolled, the enrollment date is taken as the starting date, and the end date is calculated by adding the duration of the course to the initial date.

Parameters:

Name	Description	Type	Required
enroll[listid]	list identifier	int	YES
enroll[startdate]	starting date Y-m-d	date	NO
enroll[welcomeemail]	0 1 if you want the welcome email to be sent from evolcampus	int	NO
person[password]	learner's password	string	NO
person[email]*	learner's email	string	YES
person[username]*	learner's user	string	YES
person[name]	learner's name	string	YES
person[lastname]	learner's surname	string	YES
person[phone]	learner's phone number	string	NO
person[identification]	Identity card number	string	NO
person[companyid]*	Company to which the student is assigned to	int	NO
person[tags]	Comma-separated list of student's labels	string	NO

**email, username: at least one of them is required*

**companyid: you can know all the available companies with the getCompaniesClient function*

Answer:

```
{  
  result : 1,  
  message : "OK",  
  userid : 432,  
  learnerid: 334,  
  enrollmentid : 874  
}
```

extendEnrollmentTime

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/extendEnrollmentTime>

Description: Allows you to extend the end date of an enrollment that belongs to an asynchronous course by passing the end date directly or the days you wish to extend the enrollment..

This method is only valid for enrollments that are created in an asynchronous group, as synchronous groups have fixed start and end dates for all students.

Parameters:

Name	Description	Type	Required
enrollmentid	Enrollment identifier. It is obtained from the /getEnrollments or /newEnrollment	int	YES
extend_by_days	Variable that indicates whether the extension is for days (value 1 for days, value 0 indicating end date)	int	YES
extenddays	Days you wish to extend the end date of the enrollment	int	YES (if extend_by_dyas value is 1)
extenddate	End date you wish to assign enrollment	date (format: yyyy-mm-dd)	YES (if extend_by_dyas value is 0)

Answer:

```
{
  result : 1,
  message : "OK"
}
```

updateEnrollment

Type: POST

Complete routea: <https://api.evolcampus.com/api/v1/updateEnrollment>

Description: Nos permite modificar datos de una matrícula

Parameters:

Name	Description	Type	Required
enrollmentid	License plate identifier. It is obtained from the /getEnrollments or value returned from the function /newEnrollment	int	YES
status	Value of registration status (1*)	int	NO
person[password]	Student's password	string	NO
person[email]	Student's email	string	NO
person[username]	Student's user	string	NO
person[name]	Student's name	string	NO
person[lastname]	Student's lastname	string	NO
person[phone]	Student's phone	string	NO
person[identification]	Identity card number	string	NO
person[companyid]*	Company to which the student is assigned	int	NO
person[anonymous]	0 1 to indicate whether it is anonymous (other students will not see your name). Default value 0	int	NO
person[tags]	Comma-separated list of student's labelso	string	NO

(1*) Possible values (status):

- 0: active
- 1: archived
- 2: Withdraw
- 3: read only

*companyid: you can find out which companies are available with the function [getCompaniesClient](#)

Answer:

```
{  
    result : 0|1,  
    message : "KO|OK",  
    error: "error information in case of KO"  
}
```

changePassword

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/changePassword>

Description: allow us to change the user's password with the email

Parameters:

Name	Description	Type	Required
email	E-mail address to which you want to change the password	string	YES
clave	password that you want to give to the user in evolCampus	string	YES

Answer:

```
{  
  "result": 0|1,  
  "error": "FILL IN IF result is 0"  
}
```

verifyEmail

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/verifyEmail>

Description: it allows us to validate the existence of an email in some user.

Parameters:

Name	Description	Type	Required
user	E-mail to be searched	string	YES

Answer:

```
{
  status : 0|1,
  msgLogin: "FILL IN IF status IS 0",
  iduser: 0,
  name: "user's name",
  lastname: "User's last name"
}
```

loginEnroll

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/loginEnroll>

Description: It allows us to make the login as if it were in evolCampus, so that it returns the user's id if the login is correct.

Parameters:

Name	Description	Type	Required
user	email or user access	string	YES
password	access key	string	YES

Answer:

```
{  
  status : 0|1,  
  msgLogin: "FILL IF THE STATUS IS 0",  
  iduser: 0  
}
```

getUrlAutologin

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/getUrlAutologin>

Description: Returns the shortcut URL for the submitted user ID, this URL is temporary and only valid for 1 day.

Parameters:

Name	Description	Type	Required
userid	idUser, from evolCampus	int	YES
groupid	idGroup, from evolCampus*	int	NO
courseid	idCourse, from evolCampus*	int	NO

*Groupid and Courseid can be obtained from the editing screens of both in the platform or with the functions getCourses and getCoursesGroups. By sending it the returned URL will access the home of the indicated course or group.

Answer:

```
{
  urlautologin: "URL SHORTCUT"
}
```


getCompaniesClient

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/getCompaniesClient>

Description: It gives us back the companies available to be assigned in an enrollment.

Parameters: no parameteres

Answer:

```
empresas [
  {
    idEmpresaCliente: 0,
    sEmpresa : "COMPANY'S NAME",
    sCif: "document"
  },
  ...
]
```

newGroup

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/newGroup>

Description: Create a group associated with a course.

Parameters:

Name	Description	Type	Required
courseid	Course identifier	int	SI
name	Group name	string	SI
type	A: Asynchronous S: Synchronous	string	SI
days_duration	For asynchronous, duration days	int	SI*(1)
start_date	For synchronous, start date	date	SI*(1)
end_date	For synchronous, end date	date	SI*(1)
class_hours	Course hours	int	NO
hide_remaining_time	Hide remaining time to completion from the learner	bool	NO
sequential	Sequential access 1, non- sequential access 0	int	NO
min_grade	Minimum score to terminate evaluable activities	float	NO
min_off	Minutes of inactivity before warning	int	NO
access_after_finish	Access after course completion (0, 1 or 2)	int	NO
rating	Grading system: 1: automatic 0: manual	int	NO

criteria[min_grade]	Pass criterion 'minimum grade'	float	NO
criteria[percent_total]	Pass criterion 'percentage of completed activities'.	int	NO
criteria[videoconference_hours]	Pass criterion 'hours of videoconference'	int	NO
criteria[percent_videoconference_hours]	Pass criterion 'percentage of videoconference hours'.	int	NO
criteria[percent_hours_connected]	Pass criterion 'percentage of hours connected'.	int	NO
criteria[percent_assesables]	Exceeding criterion 'Percentage of evaluable activities'.	int	NO
communication[msg_teacher]	Messaging activated with the teacher (def: 0)	bool	NO
communication[msg_learners]	Messaging between students (def: 0)	bool	NO
communication[forums]	Forums activated (def: 0)	bool	NO
communication[open_new_forums]	Students can create forums (def: 0)	bool	NO
communication[chat]	Activate online chat (def: 0)	bool	NO
coordinator[email]	coordinator's email	string	NO (*1)
coordinator[name]	coordinator's first name	string	NO (*1)
coordinator[surname]	coordinator's last name	string	NO (*1)
teacher[0][email]	teacher's email	string	NO (*2)
teacher[0][name]	teacher's first name	string	NO (*2)
teacher[0][surname]	teacher's last name	string	NO (*2)

**days_duration, (start_date-end_date): at least one of them is mandatory*

(*1) If the coordinator's email is indicated to create and assign to the group, the first and last names are also mandatory.

(*2) If the teacher's email address is specified to create and assign to the group, the first and last names are also required. teacher' is an array of teachers, i.e. more than 1 teacher can be assigned, so fill it as an array starting with index [0].

Answer:

```
{  
  result: 0|1,  
    message: OK|KO,  
    groupid: 0,  
    teacher: no data|assigned  
}
```

updateGroup

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/updateGroup>

Description: Modify a group.

Parameters:

Name	Description	Type	Required
groupid	Group identifier	int	SI
name	Group name	string	NO
days_duration	For asynchronous, duration days	int	NO
start_date	For synchronous, start date	date	NO
end_date	For synchronous, end date	date	NO
class_hours	Course hours	int	NO
hide_remaining_time	Hide remaining time to completion from the learner	bool	NO
sequential	Sequential access 1, non sequential 0	int	NO
min_grade	Minimum score to terminate evaluable activities	float	NO
min_off	Minutes of inactivity before warning	int	NO
access_after_finish	Access after course completion (0, 1 or 2)	int	NO
rating	Grading system: 1: automatic 0: manual	int	NO
criterialmin_gradel	Pass criterion 'minimum grade'	float	NO
criterialpercent_totall	Pass criterion 'percentage of completed activities'	int	NO

criteria[videoconference_hours]	Pass criterion 'hours of videoconference'.	int	NO
criteria[percent_videoconference_hours]	Pass criterion 'percentage of videoconference hours'.	int	NO
criteria[percent_hours_connected]	Pass criterion 'percentage of hours connected'.	int	NO
criteria[percent_assesables]	Exceeding criterion 'Percentage of evaluable activities'.	int	NO
communication[msg_teacher]	Messaging activated with the teacher (def: 0)	bool	NO
communication[msg_learners]	Messaging between students (def: 0)	bool	NO
communication[forums]	Forums activated (def: 0)	bool	NO
communication[open_new_forums]	Students can create forums (def: 0)	bool	NO
communication[chat]	Activate online chat (def: 0)	bool	NO
coordinator[email]	coordinator's email	string	NO (*1)
coordinator[name]	coordinator's first name	string	NO (*1)
coordinator[surname]	coordinator's last name	string	NO (*1)
teacher[0][email]	teacher's email	string	NO (*2)
teacher[0][name]	teacher's first name	string	NO (*2)
teacher[0][surname]	teacher's last name	string	NO (*2)

*days_duration, (start_date-end_date): at least one of them is mandatory

(*1) If the coordinator's email is indicated to create and assign to the group, the first and last names are also mandatory.

(*2) If the teacher's email address is indicated to create and assign the group, the first and last names are also required.

Answer:

```
{
  result: 0|1,
  message: OK|KO,
  teacher: no data|assigned
```

}

newFB

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/newFB>

Description: Create a subsidized training associated with a group. Special method for training FUNDAE (government of Spain)

Parameters:

Name	Description	Type	Required
courseid	Course identifier	int	SI
groupid	Group identifier	int	SI
type	1: Demand 2: Offer	int	SI
action_code	Training action code	String	SI
action_name	Name of training action	String	NO
action_mode	0: On-site 1: Tele-training 2: Mixed Modality (def. 1)	int	NO
inspector_user	User Inspector (same as defined in Fundae)	String	SI
inspector_pwd	Inspector key (same as defined in Fundae)	String	NO
group_code	Training group code	String	SI
group_name	Group name	String	NO
group_id_fb	Group ID in Fundae	String	NO
with_survey(*)	Indicates that the trainee must fill in the Fundae questionnaire (def:0)	bool	NO
company_profile	1:Organizing company 2:Subsidized company 3:Group of companies 4:Notifying entity Company profile required	int	NO

	if 'with_survey' is marked		
company_tax_id	Company identification document	String	NO
record_number	File number supplied by Fundae	String	NO

* If the field 'with_survey' is indicated, 'company_profile', 'company_tax_id' and 'record_number' are mandatory, otherwise the survey will not be marked.

Answer:

```
{
  result: 0|1,
  accion_formativa_id: 0,
  grupo_formativo_id: 0
}
```

updateFB

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/updateFB>

Description: Modifies a subsidized training program. Special method for training FUNDAE (government of Spain)

Parameters:

Name	Description	Type	Required
grupo_formativo_id	Group identifier	int	SI
type	1: Demand 2: Supply	int	NO
action_code	Training action code	String	NO
action_name	Name of training action	String	NO
action_mode	0: On-site 1: Tele-training 2: Mixed Modality (def. 1)	int	NO
inspector_user	User Inspector (same as defined in Fundae)	String	NO
inspector_pwd	Inspector key (same as defined in Fundae)	String	NO
group_code	Training group code	String	NO
group_name	Group name	String	NO
group_id_fb	Group ID in Fundae	String	NO
with_survey(*)	Indicates that the trainee must fill in the Fundae questionnaire (def:0)	bool	NO
company_profile	1:Organizing company 2:Subsidized company 3:Group of companies 4:Notifying entity Company profile required if 'with_survey' is marked	int	NO

company_tax_id	Company identification document	String	NO
record_number	File number supplied by Fundae	String	NO

** If the field 'with_survey' is indicated, 'company_profile', 'company_tax_id' and 'record_number' are mandatory, otherwise the survey will not be marked.*

Answer:

```
{  
  result: 0|1,  
  message: "  
}
```

getSurveysByGroup

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/getSurveysByGroup>

Description: Passing the id of the desired Group returns all the final surveys carried out, separated by survey if it has personalized and Fundae (Subsidized Training).

Parameters:

Name	Description	Type	Required
groupid	Group Id	int	YES
fbid	Training group Id*	int	NO
activities	Also return activity-type surveys. (def. 0 = no)	bool	NO

* the id Formative Group is only for Fundae (Spain) subsidized groups

Answer:

```
group: {
  name: group name,
  course: course name,
  surveys: {
    name: survey name,
    anonymous: 0|1,
    type: activity | group | fundae,
    subject: subject name,
    records: {
      name: learner name | anonymous,
      id_card: id card | anonymous,
      date: date of completion,
      Id_enroll: enroll_id | anonymous,
      questions: {
        question: question,
        type: 0|1|2|3|4, (*1)
        answers: posible answers (*2) {
          idRespuesta: 0,
          sRespuesta: texto
        }
      }
    }
  }
}
```


newCompany

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/newCompany>

Description: Create a company to which you can assign students on your platform.

Parameters:

Name	Description	Type	Required
company_name	Company Name	String	YES
documentid	Company Identification Document	String	NO
user_name*	Name of the user who will have access to view data	String	NO
password*	Training Course Code	String	NO

* If the "user_name" field is left blank, the system will generate a username based on the company name; similarly, if no "password" is provided, the system will create a default password for the user.

Answer:

```
{  
  "result": 0|1,  
  "companyid": id Company  
  "username": user,  
  "generated_password": password  
}
```

grades

Type: GET

Complete route: <https://api.evolcampus.com/api/v1/grades>

Description: Returns the list of activities and grades for a student's course registration

Parameters:

Name	Description	Type	Required
<code>enrollmentId</code>	Enrollment Id	Number	YES

Answer:

```
{
  "course_name": course name,
  "max_grade": max grade,
  "min_grade": min grade,
  "o": {
    "subject_name": subject name,
    "subject_grade": subject grade,
    "percentage_finish": percentage finish,
    "is_evaluable": 0|1,
    "weighting": weighting in course,
    "index": [
      {
        "theme_title": theme title,
        "order": order on index,
        "type": theme or activitie type,
        "child": [
          {
            "type": activity type,
            "activity_title": title,
            "order": order on theme,
            "is_evaluable": 0|1,
            "end_date": y-m-d h:m:s,
            "is_optional": 0|1,
            "minimum_time": minimum time required,
```

```
    "weighing": weigh on index,  
    "theme": title of the topic it is in,  
    "is_delivered": 0|1,  
    "maximum_rate": 0,  
    "time": time spent on the activity,  
    "attempts": {0,1,2...},  
    "finished_at": y-m-d h:m:s  
    "delivered_at": y-m-d h:m:s,  
    "percentage_actual": 0,  
    "exterior_date": y-m-d h:m:s,  
    "attendance_date": y-m-d h:m:s,  
    "without_correct": 0|1,  
    "minimum_rate": 0  
  },  
}  
}
```

getCouseIndice

Type: POST

Complete route: <https://api.evolcampus.com/api/v1/getCouseIndice>

Description: Returns the complete list of themes and activities for a course

Parameters:

Name	Description	Type	Required
courseld	Course Id	Number	YES

Answer:

```
{
  "theme_title": them title,
  "order": {0,1,2,3...},
  "type": "theme",
  "child": [
    {
      "type": activity type,
      "activity_title": activity title,
      "order": 1,
      "is_evaluable": 0|1,
      "end_date": y-m-d h:m:s,
      "is_optional": 0|1,
      "minimum_time": 0,
      "weighing": 0,
      "theme": title
    }
  ]
}
```